

Songbird ReMix *Yucatan Extras*

for Songbird Remix (available through DAZ www.daz3d.com)

Characters & Textures by Ken Gilliland (www.empken.com)

For all Songbird ReMix information and free downloads visit: www.songbirdremix.com

Includes:

- *Barred Antshrike (male & female)*
- *Tawny-throated Leaf Tosser*

LICENSE AGREEMENT: By downloading these files you agree not to sell them, redistribute them in any compilations or collections or any derivatives thereof, to anyone, without the express written consent of the author, Ken Gilliland. Using 10% or more of the texture maps for the purposes of creating a new product violates this license agreement.

Required:

- Songbird ReMix or Songbird ReMix Upgrade
- Songbird ReMix Yucatan

Installation for Poser 6+:

- Copy the "Runtime" folder to your Poser folder.

Installation for Native DAZ|Studio v2.3+:

- Copy the "Content" folder to your DAZ|Studio Content folder.

Common Name: Barred Antshrike

Scientific Name: *Thamnophilus doliatus intermedius*


Size: 6 $\frac{3}{4}$ inches (17cm)

Habitat: Central and South America; found in Central America, Trinidad and Tobago, and also South America east of the Andes down to northern Argentina, Bolivia and Paraguay in of thickets, mangroves and gardens.

Status: Least Concern. **Global Population:** 5,000,000 - 50,000,000 Mature individuals.

Diet: Ants and other Insects; small lizards and sometimes berries.

Nesting: Sexes are very different; the male is barred all over with black and white, and has a white-based black crest that is raised in display. The female is rufous above with a chestnut crest. The sides of her head and neck are streaked with black, and the under parts are rich buff. The female lays two purple-marked creamy white eggs in a deep cup nest in a shrub, which are incubated by both sexes for 14 days to hatching. The chicks fledge in another 12-13 days.



Cool Facts: The commonest of the Antshrikes is almost always seen in territorial pairs.

Barred Antshrikes follow columns of army ants, eating as it goes, and will take small lizards occasionally. It is a shy bird, often skulking in nearby cover and usually is located by its chuckling hu-hu-hu-hu-hu-hu song, often performed as a duet by a pair of birds, or a growled graaaaa.

Common Name: Tawny-throated Leaf Tosser

Scientific Name: *Sclerurus mexicanus*

Size: 6 ½ inches (16cm)

Habitat: Central and northern South America. Found in Belize, Bolivia, Brazil, Colombia, Costa Rica, Ecuador, El Salvador (unconfirmed but likely as a breeding species), French Guiana, Guatemala, Guyana, Honduras, Mexico, Nicaragua, Panama, Peru, Suriname, and Venezuela. Its natural habitats are subtropical or tropical moist lowland forests and subtropical or tropical moist montane forests.

Status: Least Concern. Global Population: 500,000 - 4,999,999 Mature individuals. While not threatened but is very sensitive to disturbances in habitat.

Diet: Insects.

Nesting: Clay nest is constructed with a cover, and up to six pale blue, greenish or white eggs are laid.

Cool Facts: Call is a sharp, explosive “sweek!” or “skweek”. The Song is a descending and slowing series of 3 to 9 or more rich plaintive notes, “squee squee”.

Leaf tossers fall in the “Ovenbird” classification which get its’ name from the elaborate vaguely “oven-like” clay nests built by some species of horneros, although most other ovenbirds build stick nests or nest in tunnels or clefts in rock.

